The Lower Extremity Functional Scale

We are interested in knowing whether you are having any difficulty at all with the activities listed below because of your lower limb problem for which you are currently seeking attention. Please provide an answer for each activity.

Today, do you or would you have any difficulty at all with:

		Extreme Difficulty	Out of		A = 1410 Dit > 6	
	Activities	Perform Activity	Quite a Bit of Difficulty	Difficulty	A Little Bit of Difficulty	No Difficulty
Ь	Any of your usual work, housework, or school activities.	0	₽	2	3	4
2	Your usual hobbies, re creational or sporting activities.	0	P	2	ω	4
3	Getting into or out of the bath.	0	H	2	ω	4
4	Walking between rooms.	0	P	2	ω	4
σı	Putting on your shoes or socks.	0	1	2	ω	4
6	Squatting.	0	H	2	ω	4
7	Lifting an object, like a bag of groceries from the floor.	0	 	2	ω	4
8	Performing light activities around your home.	0		2	ω	4
9	Performing heavy activities around your home.	0	Д.	2	ω	4
10	Getting into or out of a car.	0	P	2	ω	4
11	Walking 2 blocks.	0	P	2	ω	4
12	Walking a mile.	0		2	ω	4
13	Going up or down 10 stairs (about 1 flight of stairs).	0	4	2	ω	4
14	Standing for 1 hour,	0		2	ω	4
15	Sitting for 1 hour.	0	₽	2	ω	4
16	Running on even ground.	0	1	2	ω	4
17	Running on uneven ground.	. 0	-	2	ω	4
18	Making sharp turns while running fast.	0	1	2	ω	4
19	Hopping.	0	⊬	2	ω	4
20	Rolling over in bed.	. 0	₽	2	ω	4
	Column Totals:					

	Source:
clinical application. Physical Therapy. 79:371-383.	Binkley et al (1999): The Lower Extremity Functional Scale (LEFS): Scale development, measurement properties, and

Minimum Level of Detectable Change (90% Confidence): 9 points SCORE: ___

/ 80

ct_{s}	Vame